

City of Kalamunda

Plants for Residents Indicative Species List 2019

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|----------------------|-------------------|-------------------|--------------------|-------------------------|---|
| <i>Acacia</i> | <i>dentifera</i> | Toothed wattle | Small/medium shrub | 0.6-3 m | Erect, loose shrub, 0.6-3 m high. Flowers yellow, Aug to Nov. Often in lateritic or granitic gravelly soils. |
| <i>Acacia</i> | <i>drummondii</i> | Drummond's wattle | Shrub | 0.3-1 m | Shrub, 0.3-1 m high. Fl. yellow, Jun to Oct. Sand, gravelly soils, laterite. Granite outcrops, gullies, low-lying areas, low ridges & hillsides. |
| <i>Acacia</i> | <i>urophylla</i> | | open shrub | (0.6-) 1-3 (-5) m high. | Erect, slender, open shrub, Fl. yellow/cream-white, May to Oct. Often in lateritic soils. Along creeks & rivers, damp places. |
| <i>Acacia</i> | <i>pulchella</i> | Prickly Moses | Shrub | 0.3 - 3m | Flowers yellow, May to Dec. Sandy soils, clay loam over laterite. Low-lying areas, swamps, near watercourses. |
| <i>Allocasuarina</i> | <i>fraseriana</i> | Sheoak | Tree | 5 – 15 m | Fibrous reddish-brown bark. Flowers brown, May to Oct. Grows on lateritic soils, white, grey or yellow sand. Found in Jarrah forest and on sand dunes |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|----------------------|---------------------|-----------------------|---------------------|---------------|--|
| <i>Allocasuarina</i> | <i>humilis</i> | Dwarf Sheoak | shrub | 0.2 – 2 m | Erect or spreading shrub. Sand, often over laterite, sandy clay, gravel |
| <i>Anigozanthos</i> | <i>flavidus</i> | Tall Kangaroo Paw | Herb | 1.8 m | Rhizomatous, perennial, herb, 0.5–3 m high. Flowers yellow, green Nov–Jan. Grows on sandy, clayey or gravelly soil. Easy to grow. |
| <i>Anigozanthos</i> | <i>humilis</i> | Catspaw | Herb | 0.2 – 2 m | Rhizomatous, perennial, herb. Flowers yellow, red, orange, Jul–Oct. Grows in all soils. Full sun or partial shade. |
| <i>Anigozanthos</i> | <i>manglesii</i> | Mangle's Kangaroo Paw | Herb | 0.2 - 1.1 m | Rhizomatous, perennial, herb, 0.2–1.1 m high. Attractive red and green flowers, Aug–Nov. Grows on sandy or loamy soils. |
| <i>Banksia</i> | <i>blechnifolia</i> | | Low spreading shrub | to 0.7 m high | Flowers red/pink & cream/orange-red-brown, Sep to Nov. White or brown sand |
| <i>Banksia</i> | <i>attenuata</i> | Slender Banksia | Tree | 0.4 – 10 m | Flowers yellow, Oct–Feb. Used by Carnaby's Black Cockatoo for feeding. Prefers loamy or sandy, well-drained soils; full sun to partial shade. Note: Do not fertilise with Phosphorous fertilisers. |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|--------------------|---------------------|-----------------------|-----------------|--------------|--|
| <i>Banksia</i> | <i>grandis</i> | Bull Banksia | Tree | 6.0 m | Medium tree to 10 m high, with epicormic buds. Grows on white or grey sand, laterite - prefers well-drained soils. Full sun to partial shade. Used by Carnaby's Black Cockatoo for feeding. Note: Do not fertilise with Phosphorous fertilisers. |
| <i>Banksia</i> | <i>nivea</i> | Honeypot Couch | Small Shrub | 0.15 - 1.5 m | Flowers cream-yellow-orange-pink center with a red-brown outer. Apr – Nov. Requires sandy soils, gravel, laterite and granite |
| <i>Banksia</i> | <i>blechnifolia</i> | | Prostrate Shrub | To 0.7m | Flowers cream, orange, red, pink or brown. September, October or November. |
| <i>Bossiaea</i> | <i>eriocarpa</i> | Common Brown Pea | Small Shrub | 0.2-1m | Flowers yellow & brown/red, Jul to Nov. Usually on sandy soils. |
| <i>Calothamnus</i> | <i>quadrifidus</i> | One Sided Bottlebrush | Medium Shrub | 1.5 m | Erect, compact or spreading shrub, 0.9–2 m high. Flowers red, Jun–Dec. Grows in a wide variety of soils & habitats. Attracts birds. |
| <i>Calothamnus</i> | <i>rupestris</i> | Mouse Ears | Medium Shrub | 3.0 m | Erect, compact or spreading shrub or tree (occasionally), 0.9–4 m high. Flowers pink, red, Jul–Dec. Grows on most soils. Hardy. Attracts birds. |


Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|--------------------|-------------------|------------------------------------|-------------------------|--------------|---|
| <i>Calothamnus</i> | <i>sanguineus</i> | Silky-leaved Blood flower / Pindak | Medium Shrub | 0.2 – 2 m | Erect to open spreading shrub, 0.2–2 m high. Flowers red, Mar–Nov. Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops. |
| <i>Chorizema</i> | <i>cordatum</i> | | Erect or climbing shrub | 0.3-1.5 m | Flowers yellow & orange & red/pink, Jul to Dec. Grey-brown sandy gravel, red-brown sandy loam or clay, over granite or laterite. Near rock outcrops, on hills, along streams and watercourses, winter-wet flats |
| <i>Conostylis</i> | <i>aculeata</i> | Prickly Conostylis | Herb | 0.06 - 0.5m | Rhizomatous, perennial, grass-like or herb, high. Flowers yellow, Aug to Nov. Sand, loam, clay, gravel, limestone, laterite. Winter-wet areas, swamp margins, drainage areas, ditches, sand dunes. |
| <i>Corymbia</i> | <i>calophylla</i> | Marri | Tree | To 40 m | Tree to 40 m high. Bark rough, tessellated. Flowers white, pink, Dec–May. Grows on most soils, whether well or poorly drained. High priority plant for Carnaby's Black Cockatoo as is used for feeding, nesting and roosting. |
| <i>Darwinia</i> | <i>citriodora</i> | Lesser Scented Darwinia | Shrub | 0.2-1.5(-3)m | Flower yellow-green/red, May to Dec. Lateritic or granitic soils. Granite outcrops, hills. |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|---------------------|----------------------|----------------------|---------------------------|-------------|--|
| <i>Eremophila</i> | <i>glabra</i> | Tar bush | Shrub | 0.1-3m | Fl. green-yellow-orange-red-brown, Mar to Dec. Sand to clay soils, sometimes saline, stony loam, limestone. Winter-wet depressions, sandplains & dunes. |
| <i>Eucalyptus</i> | <i>Wandoo</i> | Wandoo | Tree | 3 - 25 m | Tree, 3-25 m high, bark smooth, non-powdery. Fl. white-cream, Dec or Jan to May. Sandy, often gravelly soils over laterite or granite. Undulating terrain. |
| <i>Gompholobium</i> | <i>tomentosum</i> | Hairy yellow pea | Erect shrub | 0.3-1m | Fl. yellow, Jul to Dec or Jan. White, grey or yellow sand, sandy clay, lateritic sand. Coastal limestone & sand dunes, undulating plains |
| <i>Gompholobium</i> | <i>knightianum</i> | | Low Shrub | 0.1 - 0.5 m | Slender, erect shrub, 0.1-0.5 m high. Fl. pink-purple, Jul to Dec. Often on lateritic soils |
| <i>Grevillea</i> | <i>thelemanniana</i> | Spider net Grevillea | Spreading shrub | 0.3 - 1.5m | Fl. pink-red, May to Nov. Sand, sandy clay. Winter-wet low-lying flats. |
| <i>Grevillea</i> | <i>crithmifolia</i> | | Dense much-branched shrub | 0.3 - 2 m | Flowers white/white-pink, Jun or Aug to Nov. White or yellow sand over limestone. Dunes, hillslopes, sandplains |

Please note: Species availability is subject to change. Some species may not be available on the day.



| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|------------------|--------------------|-------------------|---------------------|--------------|--|
| <i>Grevillea</i> | <i>preissii</i> | | Medium Shrub | 0.15 - 1.7 m | Shrub, 0.15–1.7 m high. Flowers red, Jun–Sep. Grows on sand, sandy clay, limestone. Suitable for ridges and outcrops, seasonally wet areas. |
| <i>Hakea</i> | <i>laurina</i> | Pincussion Hakea | Large Shrub | 2-6m | Flowers red, Apr to Aug. Sand, sandy clay. |
| <i>Hakea</i> | <i>lissocarpha</i> | Honeybush | Medium Shrub | 1.5 – 3m | Erect to sprawling, pungent, lignotuberous shrub, 0.4-1.5(-3) m high. Flowers white-cream/yellow/pink, May to Sep. White, grey or yellow sand, sandy loam, granitic soils, laterite. |
| <i>Hakea</i> | <i>petiolaris</i> | Sea-urchin Hakea | Large Shrub or Tree | to 9m | Flowers pink & cream, Mar to Jul. Loam, granite. Outcrops. |
| <i>Hakea</i> | <i>undulata</i> | Wavy-leafed Hakea | Shrub | 1- 2 m | Erect, often straggly, non-lignotuberous shrub, high. Flowers white, Jul to Oct. White or grey sand, clay, loam, gravel, laterite. |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|---------------------|-----------------------|--------------------|--------------|------------------|---|
| <i>Hardenbergia</i> | <i>comptoniana</i> | Native Wisteria | Climber | Climbs 2 – 4 m | Twining shrub or climber. Flowers purple, white, Jul–Oct. Vigorous climber, prefers sand or gravel. |
| <i>Hemiandra</i> | <i>pungens</i> | Snake Bush | Ground Cover | 0.1 m | Mauve flowers Jan–Dec, dark reddish-green leaves. Grows in most soils including on rock outcrops. |
| <i>Hibbertia</i> | <i>hypericoides</i> | Yellow buttercups | Shrub | 0.2 - 1 (-1.5) m | Erect, spreading, twiggy shrub, 0.2-1(-1.5) m high. Fl. yellow, Apr to Dec. Variety of habitats. |
| <i>Hovea</i> | <i>Chorizemifolia</i> | Holly-leaved hovea | Erect shrub | 0.1-0.6 m | Erect, slender, prickly shrub, 0.1-0.6 m high. Fl. blue-purple, May to Oct. Sand, laterite, gravel. Hills, breakaways, granite outcrops. |
| <i>Hypocalymma</i> | <i>angustifolium</i> | White Myrtle | Low Shrub | To 1.5 m | Erect, multi-stemmed shrub, to 1.5 m high. Flowers white, cream, pink, Jun–Oct. Narrow leaves. Grows on sand, peaty soils, sandy clay, and sandstone. Found in swamps, along watercourses, near permanent fresh-water springs, outcrops, hillsides. |
| <i>Juncus</i> | <i>pallidus</i> | Pale Rush | Herb | 0.5 – 2m | Rhizomatous perennial, Green flowers, Oct – Dec. Grows in clay, swamps and watercourses. |
| <i>Kennedia</i> | <i>coccinea</i> | Coral Vine | Ground Cover | 0.1 m | Coral pink pea flowers in dense heads, Aug–Nov. Fairly hardy, likes sandy soils. |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|---------------------|----------------------|---------------------|--------------------------|-------------|--|
| <i>Kennedia</i> | <i>prostrata</i> | Running Postman | Ground Cover | 0.1 m | Named for its bright red flowers, Apr–Nov. Attractive foliage. Likes sandy, gravelly soils. |
| <i>Lechenaultia</i> | <i>biloba</i> | Blue Lechenaultia | Diffuse, ascending shrub | 0.15-1m | Fl. blue, Jul to Dec. Lateritic or granitic soils. Hills, outcrops, flats. |
| Macrozamia | riedlei | Zamia | Tree or (cycad) | 0.5 - 3m | Tree or (cycad), 0.5-3 m high, small, usually trunkless; leaves few, glossy, flat or openly keeled, narrow leaflets; short cones. Fl. Sep to Oct. Lateritic soils. Jarrah forests. |
| <i>Melaleuca</i> | <i>fulgens</i> | Scarlet Honeymyrtle | Medium Shrub | 0.4 – 3 m | Shrub, 0.4–3 m high. Flowers red, pink, white, Jul–Dec. Grows in light clay to sandy soils. Prefers a moist, well drained site. |
| <i>Melaleuca</i> | <i>preissiana</i> | Moonah | Shrub or tree | 2-9 m | Fl. yellow-cream-white, Nov to Dec or Jan to Feb. Sandy soils. Swamps. |
| <i>Melaleuca</i> | <i>rhaphiophylla</i> | Swamp paperbark | Tree | 0.2-10 m | Flowers white-cream, Jul or Sep to Dec or Jan. White or grey sand, clay soils, limestone. Saltmarshes, swamps, along watercourses. |
| <i>Melaleuca</i> | <i>scabra</i> | Rough Honeymyrtle | Medium Shrub | 0.2 – 1.5 m | Shrub, 0.2–1.5 m high. Flowers mauve Sept–Dec. Grows in most soils. Good rockery plant. Full sun or partial shade. |
| <i>Patersonia</i> | <i>occidentalis</i> | Purple Flag | Herb | 0.5 m | Flowers purple, Summer. Hardy and easy to grow in most soils. Great for rockeries. |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|---------------------|--------------------|------------------------------|--------------------|-----------------------|---|
| <i>Pericalymma</i> | <i>ellipticum</i> | Swamp teatree | Erect shrub | Up to 3m | Fl. white-pink, Oct to Dec or Jan. Leached sand with some clayey sands, lateritic soils. In elevated areas on seasonally swampy platforms |
| <i>Ricinocarpos</i> | <i>glaucus</i> | Wedding bush | Erect shrub | 0.3 - 2 m | Erect shrub, (0.15-)0.3-2 m high. Fl. white, Jul to Dec. Sandy, loamy, lateritic or granitic soils. |
| <i>Thysanotus</i> | <i>multiflorus</i> | Many-flowered Fringed Lily | Herb | 0.1-0.5 (up to 0.8) m | Flower purple, Aug to Dec or Jan. Sand, laterite, granite. |
| <i>Verticordia</i> | <i>acerosa</i> | Bristly yellow featherflower | Small/medium shrub | 0.2-1 (-1.7) m | Open shrub, 0.2-1(-1.7) m high. Fl. yellow/orange-red-brown, Aug to Nov. White or yellow sand, sandy gravel, stony loam, laterite. Granite outcrops, hills, sandplains, clay flats, damp depressions. |
| <i>Verticordia</i> | <i>plumosa</i> | Plumed featherflower | Small/medium shrub | 0.2 - 1.5 m | Shrub, 0.2-1.5 m high. Fl. pink-blue-purple-red-white, Jul to Dec or Jan to Feb. Sandy or clayey soils, gravel, granite. Seasonally wet situations, rock outcrops, undulating plains, hills, road verges. |

Please note: Species availability is subject to change. Some species may not be available on the day.

| Genus | Species | Common Name | Plant Type | Height (m) | Notes |
|---------------------|--------------------|-------------------|---------------------|------------|---|
| <i>Xanthorrhoea</i> | <i>preissii</i> | Grass tree | Perennial tree-like | Up to 5m | Fl. white-cream, Jun or Aug to Dec. Grey to black sands, grey-brown loam, brown gravelly sandy clay, laterite, granite. Ranges, coastal plain, near watercourses. |
| <i>Xylomelum</i> | <i>occidentale</i> | Forest Woody Pear | Tree or shrub | 2 - 8 m | Flowers cream-white, Dec or Jan to Feb. White or grey sand. |

Space for you to make some notes:



**city of
kalamunda**

Please note: Species availability is subject to change. Some species may not be available on the day.